

Powerful and progressive, the exciting V65 sets a new standard. Her Olesinski-designed deep-V hull is optimised for greater lift and less drag, for lower planning speeds and greater efficiency. When entertaining, her spacious cockpit inspires relaxation with a sunpad and well-equipped dining area leading to the fully equipped aft galley. With engines taking you up to 36 knots, the V65 is as vivacious as she is valiant.










Her flexible saloon can be climate controlled or opened to the elements via triple sliding aft doors and a retractable sunroof. Below deck, eight guests enjoy four beautifully appointed cabins all bathed in natural light from elegant hull glazing, with the option of a further single cabin aft for occasional guests or crew.




V65

Layout and Specifications





V65 Main Deck



V65 Lower Deck

Principal Dimensions

Length overall (incl. pulpit) 67 ft 7 in / 20.61m

Length overall (excl. pulpit) 65 ft 8 in / 20.03m

Beam 16 ft 7 in / 5.04m

Draft 5 ft 4 in / 1.62m

Displacement approx. 36,477 kg / 80,418 lbs*

Fuel capacity 902 gal / 1,083 US gal / 4,100 l

Water capacity (excl. calorifier) 176 gal / 211 US gal / 800 l

Black water tank 60 gal / 72 US gal / 272 I

Engines - Diesel

Twin MAN V12-1400 (2 x 1,400mhp)

Maximum speed range - 34-36 knots[†]

Full Specification

Deck fittings

- Teak-laid transom platform, cockpit deck and steps to side deck
- Reversible electric anchor winch with foredeck and helm position controls
- Stem head roller with automatic anchor launch and retrieve
- Self-stowing anchor system incorporating one Lewmar Delta anchor (40kg/88lb) with 60m of 9.5mm chain
- Bow rope storage locker
- Deck storage lockers for fenders
- Freshwater deck/anchor wash
- Stainless steel bow fairleads (2) and stern fairleads (2)
- Cast stainless steel bow (2), stern (2) and spring cleats (4)
- Stainless steel round 32mm pulpit and guardrails
- Stainless steel coach roof handrails
- PVC rubbing band with stainless steel insert
- LED deck level lighting
- Illuminated crown logo to transom

- Full set of IMCO navigation lights
- Riding light
- Searchlight with remote control
- Loudhailer (connected to VHF)
- Twin electric horns
- Fuel and water fillers
- Foredeck escape hatch
- Foredeck U-shaped seating area and walkthrough
- Foredeck sunbathing area with twin sunbeds including cushions with integrated storage locker and drinks holders (4)

Aft cockpit and bathing platform

- Self-draining
- U-shaped seating/dining area with folding teak table and drinks holders
- Sunbed aft with drinks holders
- Cockpit countertop (aligned with galley countertop and hinging window)
- Port side wetbar featuring bin and sink
- LED overhead and deck level lighting

- Stainless steel handrails
- Life raft stowage locker
- Rope stowage lockers
- Lockable gas strut assisted hatch to lazarette to port side
- Lockable gas strut assisted hatch to lazarette/ optional crew cabin to starboard under aft sunpad
- Lockable gas strut assisted hatch to engine room
- Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers
- Twin transom gates leading to bathing platform
- Transom grab rail
- Ensign socket
- Garage (suitable for up to a Williams SportJet 345 or equivalent) with electro-hydraulic door and tender launch system with electric winch
- Electro-hydraulic raise/lower teak laid bathing platform (500Kg SWL)
- Retractable bathing ladder (manual) in side of hydraulic platform
- Transom steps to access stern from bathing

platform when in lowered position

- Hot and cold transom shower
- Fusion Signature 6.5" (2) speakers linked to saloon with local control
- 220/240v shore support inlet in locker
- Tonneau canvas cover

Helm position

- Twin helm seats with manual fore and aft adjustment for helmsman, crown logo to both seats, flip up base to helm seat for door access
- Raymarine Axiom XL16 (15.6" display size)
 multifunction colour display, incorporating GPS/
 chart plotter, log and echo sounder
- Raymarine Evolution autopilot with P70Rs control head
- 9" multifunction display, displaying engine instrumentation (including fuel levels and fuel flow)
- Single station instruments and controls at Helm Position:
 - power-assisted electro-hydraulic steering
 - adjustable steering wheel
 - rudder position indicator
 - magnetic compass

- electronic engine controls
- trim tab controls with indicators
- bow thruster control
- electric anchor winch remote control
- autopilot
- VHF with DSC R/T with intercom
- remote control searchlight
- horn button
- Storage tray
- Drinks holders
- Toughened glass screen (clear for night vision)
- Windscreen wipers with freshwater windscreen wash
- Exterior black mesh windscreen covers
- Bilge pump controls with visual pump running warnings
- 24v and 240v electrical control panel
- Riding light, helm and navigation light control switches
- USB charging points (2) (1x USB-A and 1x USB-C)
- 220/240v outlet (1)
- LED overhead lighting (24V) and night lighting
- Pantograph helmsman's side door to starboard side deck
- Timber flooring (V-groove planked)

- power-assisted electro-hydraulic steering
- adjustable steering wheel
- rudder position indicator
- magnetic compass
- electronic engine controls
- trim tab controls with indicators
- bow thruster control
- electric anchor winch remote control
- autopilot
- VHF with DSC R/T with intercom
- remote control searchlight
- horn button

Deck saloon

- U-shaped sofa with storage/crockery drawers
- Coffee table
- Electric drop window to port
- Sideboard unit with bottle and glass storage, and refrigerator (Waeco)
- 55" TV on rise and fall
- Fusion Apollo MS-RA770 audio system with Wi-Fi/Bluetooth/ DAB. Paired with Focal 100ICW6 speakers (2)
- Storage drawers below navigator's seat
- Panoramic tinted toughened glass windows port

- and starboard
- Manual tension venetian blinds (matte black) to windows
- LED overhead and concealed lighting (24v)
- Access stairway to lower accommodation
- Electric opening roof with skylights with dark grey tint and sliding blinds
- Timber flooring (V-groove planked)
- 220/240v outlets (2)

Dining area

- L-shaped sofa with storage drawer
- Folding dining table/drinks holders (4)
- Stainless steel framed sliding door to cockpit (three pane) with integrated hinging window aft of galley (one fixed pane, two sliding panes, one flip window) and integrated Skysol blind
- Manual tension venetian blinds (matte black) to windows
- LED overhead and concealed lighting (24v)
- 220/240v outlet (2)
- Timber flooring (V-groove planked)

Galley

- Solid Surface countertop
- 4-zone ceramic hob (Bosch)
- Extractor fan
- Combination microwave/convection oven with grill (Bosch)
- Full height fridge/freezer (281l, Beko)
- Twin-bowl (1.5) stainless steel sink with mixer tap
- Slimline full height dishwasher (9 place setting, Bosch)
- Twin waste bin (segmented for recycling)
- Drawers and storage cupboards
- Manual tension venetian blinds (matte black) to windows
- LED overhead and task lighting (24v)
- 220/240v outlets (4)
- Timber flooring (V-groove planked)

Accommodation

- All cabins and bathrooms (exc. crew bathroom) feature opening portholes
- All cabins feature 220/240v power points
- All bathrooms (exc. Crew bathroom) feature 240v shaver points
- All bathrooms feature electric freshwater toilets

Owner's stateroom

- Large double bed with drawers below
- Twin bedside tables
- Walk-through wardrobe area with hanging, drawer storage and full-length mirror
- Dressing table
- Sofa
- Storage drawers
- 50" TV
- Fusion Apollo MS-RA770 audio system with Wi-Fi/Bluetooth/DAB. Paired with Focal 100ICW6 speakers (2)
- Panoramic windows including opening porthole
- Manual tension venetian blinds (grey)
- LED overhead and concealed lighting (24v)
- Individual berth lights
- 220/240v outlets (4) (1 per side and 2 beside vanity unit)
- USB charging points (4) (2 per side (1x USB-A and 1x USB-C))
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface

- vanity top
- Mirror to vanity unit
- Storage lockers
- Shower compartment with automatic pump out.
 Includes overhead rainfall shower and fully adjustable hand shower
- Extractor fan
- Window with opening porthole
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring

Forward stateroom

- Large double bed with drawers below
- Wardrobe with shelves and full-length mirror
- Dressing table
- Storage lockers
- Windows with opening portholes
- Manual tension venetian blind (grey)
- Deck hatch
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlets (3) (1 per side and 1 under vanity unit)

- USB charging points (4) (2 per side (1x USB-A and 1x USB-C))
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface vanity top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring

Starboard guest cabin

- Two single beds with drawers below (with option of sliding double bed conversion)
- Bedside table
- Wardrobe with shelves
- Mirror
- Storage lockers

- Window with opening portholes
- Manual tension venetian blinds (grey)
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlets (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface vanity top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening portholes
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring
- Day access door from lower lobby

Port guest cabin

- Two single beds (bunk)
- Wardrobe with shelf
- Mirror
- Storage lockers
- Window with opening portholes
- Manual tension venetian blinds (grey)
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlet (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Fitted carpet

Lower lobby / passageway area

- Combination washer/dryer with storage area above located below companionway stairs (Bosch)
- LED overhead and concealed lighting (24v)
- Fitted carpet

Optional crew cabin (in place of aft lazarette)

- Furniture in specified choice of boat timber
- Single bed with storage below
- Lockers with shelf

- Opening porthole
- Hinged door with access from hatch under aft sunpad
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlet (1)
- USB charging point (2) (1x USB-A and 1x USB-C)
- Timber flooring (V-groove planked)

En-suite bathroom

- Bathroom in white laminate
- Wash basin with Solid Surface vanity top
- Mirror
- Storage lockers
- Shower with automatic pump out
- Extractor fan
- LED overhead lighting (24v)
- Bathroom accessories
- Non-slip flooring (GRP)

Power and drive systems

- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminium bronze
- Bow thruster (170kgF) with dual-station controls

- High speed balanced rudders
- Power-assisted electro-hydraulic steering system
- Trim tabs with indicators
- Cathodic protection for stern gear
- Stern gear, engines, fuel tank fillers, etc all electrically bonded
- Forward and aft engine room bulkheads and engine room headlining to be integrally bonded including insulation with acoustafoam layers
- High volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and water-cooled exhausts
- Engine beds integrally moulded with hull for strength and vibration absorption
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Engine room lighting
- Engine room access from cockpit deck, via hatch with ladder
- Electronic engine and gear shift controls
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

Electrical systems

24 Volt:

- 4 x heavy duty batteries for engine starting
- 4 x heavy duty auxiliary batteries
- 1 x generator battery
- Battery link facility with remote control at helm position
- Battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 60-amp battery charger charges both banks of batteries via an automatic switch charging system
- 6-amp battery charger for generator battery
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits
- 12v voltage dropper for certain navigation and radio circuits

220/240 Volt:

 EU specification: 11kW diesel generator in own sound shield with water cooled specially silenced

- exhaust systems
- US specification: 13.5kW diesel generator in own sound shield with water cooled specially silenced exhaust systems
- Automatic fire extinguisher situated by generator
- 60-amp shore support inlet
- 6-amp battery charger for generator battery
- Generator/shore support change-over switch
- Polarity check system
- Earth leakage safety trip
- Circuit breakers on all circuits
- Power points in: master stateroom, guest cabins, galley and saloon area
- Shaver points in all bathrooms (exc. crew)

Fuel system

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 902 gal / 1083 US gal / 4,100 I capacity
- Fuel fillers on port and starboard side decks
- High-capacity duplex fuel filters with water traps with change-over valves, water warning sensors connected to warning lights at lower helm
- Remote fuel cocks in cockpit locker

Fuel gauges at main helm console (via MFD)

Water system

- Water tanks totalling 176 gal / 211 US gal / 800 I plus 16 gal / 19 US gal / 73 litres hot water calorifier
- Water heated by engines and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Electric WC system with 60 gal / 72 US gal / 272
 I holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Bilge pumps

- Automatic/manual override electric bilge pumps in engine room (2), rudder area, lazarette and forward accommodation (6 in all)
- High-capacity manual bilge pump with valve system and suction points in same areas

 Electric bilge pumps have controls and warning lights at main helm

Fire extinguishers

- Automatic/manual override fire extinguishers in engine room with warning system at helm position
- Hand-operated fire extinguishers (6) in master stateroom, forward, port and starboard guest cabins, galley and helm position
- Additional extinguisher fitted when optional aft cabin is specified
- Automatic under helm fire extinguisher at lower helm

Other standard equipment

- Ensign staff
- Fenders (6)
- Mooring warps (4)
- Boat hook
- First Aid kit
- Tool kit
- Owner's manual and engine manual
- Functional bed linen supplied to all cabins

- (including optional aft cabin when specified)
- Set of glassware (8 settings consisting of tumbler and wine glasses)
- Set of Princess china (8 settings consisting of plate, side plate, bowl, cup & saucer)
- Ship's document case
- Anchor winch back up handle
- V65 canopy badges

Finishes

- Teak-laid decks to transom platform, steps to cockpit, and steps to side decks
- Timber-laid floor to galley, deck saloon and dining area (V-groove planked)
- Furniture in Rovere oak with satin finish as standard. Optional finishes include Silver oak satin finish, Ash satin finish or Walnut wood in a satin or gloss finish
- Solid Surface floors in all bathroom suites in guest accommodation
- Solid surface wash hand basin vanity tops in all bathroom suites in guest accommodation
- Galley countertop in Solid Surface
- Choice of high-quality carpet and upholstery fabric from extensive range

- Exterior upholstery in white vinyl as standard, with optional upgrade to Comfort Exterior available
- Manual tension venetian blinds (matte black to main deck, grey to lower deck) to all windows
- Optional crew cabin furniture in specified choice of boat timber with timber flooring. Crew bathroom in white laminate with white Solid Surface vanity tops and non-slip (GRP) flooring.